



Product Data Sheet

EPDM Patch Disks



Product Information

Seal Trust™ Patch Disks are cured black EPDM with butyl mastic sealer die cut into 8” round disks. Can be used for repair patches, or t-patches and anywhere required on EPDM. Membrane must be cleaned prior to installation using Seal Trust Tape Primer.

Resistant to: Weather, water & water vapor, (5%) acidic or basic solutions

Effected by: Petroleum, grease, oil, solvents, vegetable oils, and animal fats

Product Storage: Store in warehouse without excessive heat. Do NOT store long term on roof.

Shelf Life: 1 year if stored between 60° and 80° F.

Physical Properties:

Color: Black

Solids: 100%

Odor: Slight Hydrocarbon

Penetration: (ASTM D 217) : 100/130 mm

Volatile: % by Volume: None

Adhesion: To most clean, dry substrates/surfaces

NOTE: TECHNICAL INFORMATION AND DATA SHOULD BE CONSIDERED REPRESENTATIVE OR TYPICAL ONLY AND SHOULD NOT BE USED FOR SPECIFICATION PURPOSES.

User's Responsibility

This Product Information cannot cover all possible situations, which the user may experience during processing. Each aspect of your operations should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation

Disclaimer of Liability

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, express or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the user.